


SHAYONA LED[®]
Bright Like Your Future



**MANUFACTURER
OF
INDUSTRIAL &
OUTDOORS LIGHT**



CATALOGUE 2022



About As

We Offers a Wide Range of International Quality Outdoor and Industrial LED Lighting Solutions.


SHAYONA LED Serves Varied Applications Providing Effective and Energy-Efficient Lighting in any Environment From Retail or Commercial and Industrial applications.

Now, SHAYONA LED is a Market Leader and Provides Numerous Lighting Solutions. SHAYONA LED Will Play a Pivotal Role in Shifting Lighting Usage in India.

SHAYONA LED is Located in JAMANAGAR City Which is The Hi-Tech City in INDIA. We Have 18,000 Square Feet factory, 5 Production Lines and Considerable Scale Production Equipment. And We Have Hi-Tech Machinery Like LED Chip Mounted, Pressure Die Casting, LED Reflow Soldering, LED High Temperature Test Chamber, LED Integrating Sphere, Vibration Testing Machines and Waterproof Testing Equipment and So On. Our Main Products are LED Street Light, LED Flood Lights, LED Highbay Light, LED Well Glass, LED Canopy Light, LED Driver, LED Flame Proof Flood Light , LED Flame Proof Well Glass Light, LED Flame Proof Street Light.

SHAYONA LED Has Many Professional Technical and Management Team. He has Many Years' Experience, We are Focussing On LED Lighting Fixture Research and Production. Meanwhile We Have Passed ISO9001: 2015 Quality Management System and Almost All of The Products Has Passed CE and RoHS Certification. SHAYONA LED Partners are From All over India and the world, Which Means SHAYONA LED Products Has Excellent Quality and First Class Service.

SHAYONA LED Possess a List of Esteem Clientele Where Major Customer Segment are Industrial, Government & Corporate in Nature as They Require Right Technical Solutions and Information About Energy Savings in Replacement of General lighting. SHAYONA LED Not Only Manufactures and Market Its Products Within India Also Exports Several Other Countries.



Infrastructure



Die Casting Unit



VMC Mechine



Powder Coating Unit



SMT Pick Place Unit



Driver Assembly Unit



Assembly Unit



Packing Unit



Warehouse

SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLOOD LIGHT MODEL



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

30W

50W

60W

100W

150W

180W

200W

250W

300W

350W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLOOD LIGHT BACK CHOCK MODEL



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

36W

50W

100W

150W

200W

250W

300W

350W

400W

500W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95


Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLOOD LIGHT HI BEAM MODEL



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

100W

150W

200W

250W

300W

350W

400W

500W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95


Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED STREET LIGHT LENS MODEL



Watt
25W
32W
36W
50W
60W
70W
80W
90W
100W
120W

POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED STREET LIGHT GLASS MODEL



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt
15W
18W
20W
24W
32W
36W
50W
60W

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED STREET LIGHT FRAME MODEL



Watt
32W
50W
60W
80W
100W
120W
150W
200W
250W
300W

POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.


An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED HIGH BAY LIGHT



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

50W

60W

100W

120W

150W

180W

200W

250W

300W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED WELL GLASS LIGHT



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

30W

36W

45W

50W

60W

80W

90W

100W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

WEATHER PROOF HAND LAMP



POWERED BY :

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

8W

12W

15W

20W

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAME PROOF FLOOD LIGHT



Watt

30W

50W

60W

80W

100W

120W

150W

POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAMEPROOF WELL GLASS



POWERED BY:

bridgelux./OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

30W

45W

50W

60W

72W

90W

100W

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAME POOF TUBE LIGHT



POWERED BY:

bridgelux./OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

15W

20W

30W

36W

40W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.


An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAME PROOF BULK HEAD



POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

15W

20W

25W

30W

40W

50W

60W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.



An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAME PROOF CLEAN ROOM LIGHT



POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

15W

20W

25W

30W

40W

50W

60W

Technical Specifications :

Input : 90-300V AC

With Stand 440V AC

Short Circuit, Open Circuit

THD < 10% | PF > 0.95

Surge Protection > 14kV

High Efficiency

Built in PFC Function

Over Voltage Protection

Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

LED FLAMEPROOF VESSEL LAMP



POWERED BY:

bridgelux / OSRAM

LED : 2835 1W (140 Lm/Watt)

Watt

10W

20W

30W

Technical Specifications :

- Input : 90-300V AC
- With Stand 440V AC
- Short Circuit, Open Circuit
- THD < 10% | PF > 0.95
- Surge Protection > 14kV
- High Efficiency
- Built in PFC Function
- Over Voltage Protection
- Over Temperature Protection



SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

THANK YOU SO MUCH

SHAYONA TECHNOLOGY.

An ISO 9001:2015 Certified Company

Address : 107/6, Sahajanand, Nr. Shreeji Borewell
Ranjit Sagar Road, Jamnagar (Gujarat)
361004, India.

🌐 : www.shayona-led.com

✉ : sales@shayona-led.com

☎ : +91 85111 17520

